

Flight Manual Supplement
Bell Model 427 Helicopter
With
Airglas L2700-427 Skis
Installed

FAA APPROVED
ROTORCRAFT FLIGHT MANUAL SUPPLEMENT
FOR
BELL MODEL 427 HS HELICOPTER

Registration No. _____

Serial No. _____

This flight manual supplement must be attached to the FAA Approved Flight Manual when the rotorcraft is equipped with the Airglas, Inc. L2700-427 Ski Kit in accordance with Supplemental Type Certificate SR02287AK. The information contained in this document supplements or supersedes the FAA Approved Rotorcraft Flight Manual only in those areas listed herein. For limitations, procedures and performance information not contained in this document, consult the basic FAA Approved Rotorcraft Flight Manual.


FAA APPROVED: 
Manager, Anchorage Aircraft Certification Office
Federal Aviation Administration
Anchorage, Alaska

FAA APPROVED
DATE: 5 May 2007

Revision A
Page 1 of 3

Airglas, Inc.
P.O. Box 190107
Anchorage, Alaska 99519

Rotorcraft Flight Manual Supplement
Bell Model 427 HS with
Airglas L2700-427 Skis installed.

| LOG OF REVISIONS | | | |
|-------------------------|---------------|--|---|
| REVISION | | PAGES REVISED AND DESCRIPTION OF REVISIONS | APPROVAL SIGNATURE |
| Letter | DATE | | |
| 0 | 23 March 2007 | ORIGINAL ISSUE | |
| A | 5 May 2007 | Changed Weight and Balance in Section 5. Corrected punctuation and structure overall. |  |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Airglas, Inc.
P.O. Box 190107
Anchorage, Alaska 99519

Rotorcraft Flight Manual Supplement
Bell Model 427 HS with
Airglas L2700-427 Skis installed.

SECTION 1. LIMITATIONS

No Change

SECTION 2. NORMAL PROCEDURES

Add to Exterior Check:

Check the overall condition of the Airglas skis.
Check all ski attaching clamps for security.
Check the skids for security, damage or cracks.

SECTION 3. EMERGENCY AND MALFUNCTION PROCEDURES

No Change

SECTION 4. PERFORMANCE DATA

No Change

SECTION 5. WEIGHT AND BALANCE DATA

A. Weight and Balance Determination

Installation of P/N L2700-427 kit will add 86 lbs. (total) to the weight of the helicopter at F.S. 222.93

B. Weight Limitations

Maximum approved weight and center of gravity limits are unchanged.