



\* NOTICE \*  
 INFORMATION CONTAINED HEREIN IS PROPRIETARY TO AEROTWIN, INC. AND MAY NOT BE DISCLOSED IN WHOLE OR IN PART OR USED FOR ANY DESIGN OR MANUFACTURE UNLESS THE USER POSSESSES DIRECT WRITTEN AUTHORIZATION FROM AEROTWIN, INC..

ISS	DESCRIPTION	INIT	DATE
1	INITIAL RELEASE		
2	PER ECO AT-125	BAS	05/05/08



SECTION G-G

NOTES:

1. SECURE HANDLES USING SPECIFIED HARDWARE.
2. INSTALL PLACARD, ITEM-37, ON ITEM-29, WITH "SKI" ARROW POINTING FORWARD AND "NEUTRAL" POINTING LEFT WHEN ITEM-29 IS IN THE NEUTRAL POSITION.
3. THIS INSTALLATION MAY ONLY BE USED IF ELECTRIC HYDRAULIC PUMP IS INSTALLED. OTHERWISE, REFERENCE FAC DWG. NO. N84 FOR THE INSTALLATION OF HAND PUMP P/N AN6201-1.
4. SEE BILL OF MATERIALS ON SHEET 8.

DRAWN B. SLATER	DATE 01/08/08	TOLERANCES UNLESS STATED OTHERWISE:	<i>AeroTwin, Inc.</i>	
CHECKED		.X ± 0.050 .XX ± 0.030 .XXX ± 0.010	TITLE AIRGLAS LH4000F HYDRAULIC INST'LL	
DESIGN		ANGLES ± 1.5° ALL DIMENSIONS ARE IN INCHES	SHEET 7 OF 8	DRAWING NO. FND-SKI-1010
MANUFACTURE		MACHINED SURFACES: FINISH TO 125 OR BETTER	MOD. NUMBER	ISSUE 2
ENGINEERING DEPT. APPROVAL			NEXT ASSEMBLY	PLOT SCALE NTS
APPROVAL				
EFFECTIVITY PART NUMBER	EFFECTIVITY GENERAL		<b>DO NOT SCALE PRINT</b>	